



371265 (E7BAML00O00)

Open base cupboard, 1+1/2 module with flanged feet - Marine

Main Features

- Doors with handles, drawers, heating kits and runners for GN containers can be ordered separately.
- Open base compartment for storage of pots, pans, sheet pans, etc.
- Unit can be easily installed below other 700 line top models.
- Unit delivered with 50 mm height adjustable feet in Stainless steel.

Construction

- Constructed in Stainless steel with Scotch Brite finish to meet the highest hygiene standards.
- Supplied with flanged stainless steel feet.

Optional Accessories

PNC Code	Description
Bases & base accessories	
206245	Central support for installation of drawers and grid (on 800/1200mm bases) and of doors (on 1200mm bases)
206259	Electric heating kit for cupboards
206318	2 drawers for open base cupboards, 100mm height
206342	DOOR FOR OPEN BASE CUPBOARD-ZANUSSI
206350	Door for open base cupboard
Feet, wheels and ramps	
206135	Kit 4 wheels - 2 swivelling with brake - it is mandatory to install Base support and wheels
206210	Kit 4 feet for concrete installation (not for 900 line free standing grill)
206368	Base support for feet or wheels - 1200mm (700/900)
206369	Base support for feet or wheels - 1600mm (700/900)
206370	Base support for feet or wheels - 2000mm (700/900)






PNC Code	Description
Kicking strips	
206151	Frontal kicking strip for concrete installation, 1200mm
206152	Frontal kicking strip for concrete installation, 1600mm
206178	Frontal kicking strip, 1200mm (not for refr-freezer base)
206179	Frontal kicking strip, 1600mm (not for refr-freezer base)
206249	Pair of side kicking strips
206265	Pair of side kicking strips for concrete installation
Panels	
206248	2 panels for service duct for single "top on base" installation
206376	Rear paneling - 1200mm (700/900)
Other accessories	
206319	2 side covering panels
206328	2 drawers (h=1000mm) for 700line base
206343	Door for open base cupboard
206360	2 DRAWERS (H=100MM) BASE 700 LINE-ZAN



Technical specifications

Key Information:

External dimensions, Width:	1200 mm
External dimensions, Depth:	550 mm
External dimensions, Height:	600 mm
Net weight:	23 kg



Find out more:
ISO Certificates
[Electrolux Professional Recognitions](#)

The company reserves the right to make modifications to the products without prior notice. All information correct at time of printing.