



**589907 (MC3ACOAOOM)**

Closed Base, Marine feet, 100mm

## Main Features

- All major components may be easily accessed from the front.
- THERMODUL connection system creates a seamless work top when units are connected to each other thus avoiding soil penetrating vital components and facilitating the removal of units in case of replacement or service.
- Unit constructed according to DIN 18860\_2 with 70 mm recessed plinth.
- Closed base compartment to be installed below modular top units.

## Construction

- IPX5 water resistance certification.
- 2 mm top in 1.4301 (AISI 304).
- Flat surface construction with minimal hidden areas to easily clean all surfaces
- Internal frame for heavy duty sturdiness in stainless steel.



## Optional Accessories

| PNC Code      | Description                                                                                                                                                                                                                                                                   |
|---------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Panels</b> |                                                                                                                                                                                                                                                                               |
| 912512        | Stainless steel side panel, 900x700mm, freestanding                                                                                                                                                                                                                           |
| 913101        | Stainless steel panel, 900x700mm, against wall, left side                                                                                                                                                                                                                     |
| 913105        | Stainless steel panel, 900x700mm, against wall, right side                                                                                                                                                                                                                    |
| 913160        | Back panel, 100x450mm, for bases one-side operated                                                                                                                                                                                                                            |
| 913222        | Stainless steel side panel, left, H=700                                                                                                                                                                                                                                       |
| 913223        | Stainless steel side panel, right, H=700                                                                                                                                                                                                                                      |
| 913260        | Side reinforced panel only in combination with side shelf, for freestanding units                                                                                                                                                                                             |
| 913267        | Side reinforced panel only in combination with side shelf, for against the wall installations, left                                                                                                                                                                           |
| 913269        | Side reinforced panel only in combination with side shelf, for against the wall installations, right                                                                                                                                                                          |
| 913275        | Side reinforced panel only in combination with side shelf, for back-to-back installations, left                                                                                                                                                                               |
| 913276        | Side reinforced panel only in combination with side shelf, for back-to-back installation, right                                                                                                                                                                               |
| 913672        | Stainless steel dividing panel, 900x700mm, (it should only be used between Electrolux Professional thermaline Modular 90 and thermaline C90)                                                                                                                                  |
| 913688        | Stainless steel side panel, 900x700mm, flush-fitting (it should only be used against the wall, against a niche and in between Electrolux Professional thermaline and ProThermetic appliances and external appliances - provided that these have at least the same dimensions) |

## Recommended Detergents

| PNC Code | Description                                                                                                                                                                                                   |
|----------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| OS2292   | C41 HI-TEMP RAPID DEGREASER, 1 pack of six 1 lt bottles (trigger incl.)                                                                                                                                       |
| OS2881   | S01 STAINLESS STEEL SURFACE POLISHER; 6 BOTTLES X 750ML C/T                                                                                                                                                   |
| OS2882   | S02 Degreaser. A highly concentrated detergent specifically for cleaning and removing grease from appliances and surfaces. Active up to a maximum of 50°C Complete with spray bottle. Pack of 6x750ml bottles |
| OS2883   | S03 ALCOHOL BASE DETERGENT; 6 BOTTLES X 750ML; ADR&IMDG&IATA Limited Quantity                                                                                                                                 |
| OS2884   | S04 Glasses & Hard Surfaces Cleaner, 6 x 750ml bottles                                                                                                                                                        |
| OS3257   | S05 - MULTIPURPOSE DEGREASER; 6PCS X 750ML; ADR&IMDG Limited Quantity                                                                                                                                         |




# Technical specifications


Key Information:

|                              |        |
|------------------------------|--------|
| External dimensions, Width:  | 100 mm |
| External dimensions, Depth:  | 900 mm |
| External dimensions, Height: | 450 mm |
| Net weight:                  | 10 kg  |


Front



Side



Top



Find out more:  
ISO Certificates  
[Electrolux Professional Recognitions](#)

The company reserves the right to make modifications to the products without prior notice. All information correct at time of printing.